

# 2013 Ontario Zone Competition

## YSFA/ASFA Scenario 2

Team Number	
Team Member 1	
Team Member 2	
Team Member 3	
Team Member 4	
Judge 1	
Judge 2	

General Subtotal	/26
Casualty 1 Subtotal	/73
Casualty 2 Subtotal	/69
Casualty 3 Subtotal	/69
Casualty 4 Subtotal	/75
Documentation Subtotal	/82
Total	/394

# JUDGE BRIEFING NOTES

## 2013 Ontario Zone Competition – YSFA/ASFA Scenario 2

### SCENARIO SUMMARY

While providing first aid services at a concert at the local arena, a staff member reports to the first aid post and informs the competitors that somebody needs assistance in the parking lot. Upon assessment of the scene, the responders will determine that a single automobile has crashed into a utility pole in close proximity to the main entrance. Airbags did not deploy.

### INJURIES

#### Casualty 1

- Right Rear Passenger
- Fracture left clavicle
  - Severe pain when palpated
  - Appears red, no deformity

#### Casualty 2

- Left Rear Passenger
- 3cm x 3cm abrasion left forehead
- Headache (concussion)

#### Casualty 3

- Front Right Passenger
- Startled, otherwise uninjured
- develops breathing difficulty (asthma) after 1st ambulance departs requires assistance to take ventolin

#### Casualty 4

- Driver
- Face appears flushed
- Closed fracture right wrist
  - Area is red, no deformity
- chest pain 10/10
  - started a moments before the crash
- Requires assistance to take nitroglycerin tablets

### CASUALTY PROMPTS

#### Casualty 1

- Casualty is sitting in right rear seat holding left clavicle with right hand and grimacing
- Casualty is alert and oriented
- If asked questions about the crash, states that he/she was not paying attention and didn't see what happened.

If asked:

Casualty states:

Name	Use casualty's real name
Date of birth	Use casualty's real date of birth
Symptoms	Pain 9/10 left clavicle, becoming 10/10 when palpated
Allergies:	Codeine
Meds:	Multivitamin daily
Past Med History:	Appendectomy 2011
Last Meal:	Lunch - sandwich
What happened:	Didn't see what happened.

Casualty 2

- Casualty 2 struck head on the back of the driver's seat.
- Denies neck pain, back pain
- If asked, has a headache and is dizzy

If asked:

Casualty states:

Name	Use casualty's real name
Date of birth	Use casualty's real date of birth
Symptoms	headache and dizziness
Allergies:	None
Meds:	Effexor 150mg daily
Past Med History:	None
Last Meal:	Pizza 1 hour ago
What happened:	Didn't see what happened. Stuck head on the back of the driver's seat and

passed out for only a few seconds.

### Casualty 3

- Casualty startled, but uninjured
- 1 minute after paramedics depart (18 minutes into the scenario), casualty develops asthma-related breathing difficulty
- Casualty should begin to breathe in short, shallow gasps

#### If asked:

#### Casualty states:

Name	Use casualty's real name
Date of birth	Use casualty's real date of birth
Symptoms	None initially, then asthma-related breathing difficulty that is relieved by 2 puffs of Ventolin
Allergies:	None
Meds:	Ventolin MDI as needed
Past Med History:	Asthma since childhood
Last Meal:	Lunch - sandwich
What happened:	Driver clutched chest and car skidded into a pole

### Casualty 4

- Crushing chest pain radiating to left arm.
- Sudden onset which caused casualty to lose control of the car
- Right wrist fracture that appears red with no deformity
- Casualty cannot bend wrist due to pain

#### If asked:

#### Casualty states:

Name	Use casualty's real name
Date of birth	Use casualty's real date of birth
Symptoms	chest pain 10/10 radiating to left arm, 8/10 right wrist pain
Allergies:	None

Meds:	Ramipril 2.5mg daily (was taken this morning), nitroglycerin SL as needed
Past Med History:	High blood pressure, angina
Last Meal:	Pizza 1 hour ago
What happened:	chest pain started suddenly and lost control of the car

## JUDGES' PROMPTS

- Scenario begins in the first aid room
- Security guard will come to the first aid room and inform competitors that somebody needs assistance in the parking lot
- Competitors will be rewarded for choosing to leave at least one competitor to remain at the first aid post until it is clear that more help is needed outside
- If the competitor(s) at the scene choose to send for the competitor(s) at the first aid post, a competitor or bystander may be sent to deliver the message.
- If nobody sent for the competitor(s) at the first aid post, they should be told that their teammate(s) need help outside at the 13 minute mark
- If asked, judge informs team that hazards are as found
- There is one bystander and one security guard available to help, but neither are trained in first aid
- When paramedic arrives on scene, they will ask the team which two patients need to go to the hospital first
- Once the scenario has finished, they will be provided 15 minutes to complete documentation.
- At the end of the documentation period, documentation will be scored and marking sheets finalized
- This scenario relies heavily on timing, and judges must determine the most appropriate way to keep track of time

### Timeline

:00	Scenario begins
:03	Ambulance called by bystander if not already called
:13	If not already called, teammate(s) at first aid post arrive at scene
:14	Ambulance 1 arrives; paramedic asks for verbal report; paramedics assess patients;

Respirations 24 shallow and regular  
Pulse 126 weak and regular  
Skin flushed, warm and sweaty

## PROPS

- Environment
  - Parking lot
  - Utility pole or some other immovable structure that car has crashed into
  - First aid post
    - Room out of sight of parking lot
- Props
  - 4 door (minimum) vehicle
    - Turned off, but keys in ignition
  - Ventolin (albuterol) inhaler (trainer)
  - Pill bottle
  - Pill bottle label
    - Will be provided
    - Apply to pill bottle
  - 5 white Tic Tacs in pill bottle
  - 1 ambulance
    - Use SJA vehicle

# TEAM BRIEFING NOTES

## 2013 Ontario Zone Competition - YSFA/ASFA Scenario 2

Your team is responsible for providing first aid services at a concert at a local arena. Your team is currently positioned in the arena first aid room. You are informed by a security guard that assistance is needed in the parking lot. Additional details are unknown.



# CASUALTY BRIEFING NOTES

2013 Ontario Zone Competition - YSFA/ASFA Scenario 2

## SCENARIO SUMMARY

While providing first aid services at a concert at the local arena, a staff member reports to the first aid post and informs the competitors that somebody needs assistance in the parking lot. Upon assessment of the scene, the responders will determine that a single automobile has crashed into a utility pole in close proximity to the main entrance. Airbags did not deploy.

## INJURIES

### Casualty 1

- Right Rear Passenger
- Fracture left clavicle
  - Severe pain when palpated
  - Appears red, no deformity

### Casualty 2

- Left Rear Passenger
- 3cm x 3cm abrasion left forehead
- Headache (concussion)

### Casualty 3

- Front Right Passenger
- Startled, otherwise uninjured
- develops breathing difficulty (asthma) after 1st ambulance departs requires assistance to take ventolin

### Casualty 4

- Driver
- Face appears flushed
- Closed fracture right wrist
  - Area is red, no deformity
- chest pain 10/10
  - started a moments before the crash
- Requires assistance to take nitroglycerin tablets

## CASUALTY PROMPTS

### Casualty 1

- Casualty is sitting in right rear seat holding left clavicle with right hand and grimacing
- Casualty is alert and oriented
- If asked questions about the crash, states that he/she was not paying attention and didn't see what happened.

If asked:

Casualty states:

Name	Use casualty's real name
Date of birth	Use casualty's real date of birth
Symptoms	Pain 9/10 left clavicle, becoming 10/10 when palpated
Allergies:	Codeine
Meds:	Multivitamin daily
Past Med History:	Appendectomy 2011
Last Meal:	Lunch - sandwich
What happened:	Didn't see what happened

Casualty 2

- Casualty 2 thinks he/she struck head on the back of the driver's seat.
- Denies neck pain, back pain
- If asked, has a headache and is dizzy

If asked:

Casualty states:

Name	Use casualty's real name
Date of birth	Use casualty's real date of birth
Symptoms	headache and dizziness
Allergies:	None
Meds:	Effexor 150mg daily
Past Med History:	None
Last Meal:	Pizza 1 hour ago
What happened:	Didn't see what happened. Stuck head on the back of the driver's seat and

passed out for only a few seconds.

### Casualty 3

- Casualty startled, but uninjured
- 1 minute after paramedics depart (18 minutes into the scenario), casualty develops asthma-related breathing difficulty
- Casualty should begin to breathe in short, shallow gasps

#### If asked:

#### Casualty states:

Name	Use casualty's real name
Date of birth	Use casualty's real date of birth
Symptoms	None initially, then asthma-related breathing difficulty that is relieved by 2 puffs of Ventolin
Allergies:	None
Meds:	Ventolin MDI as needed
Past Med History:	Asthma since childhood
Last Meal:	Lunch - sandwich
What happened:	Driver clutched chest and car skidded into a pole

### Casualty 4

- Crushing chest pain radiating to left arm.
- Sudden onset which caused casualty to lose control of the car
- Right wrist fracture that appears red with no deformity
- Casualty cannot bend wrist due to pain

#### If asked:

#### Casualty states:

Name	Use casualty's real name
Date of birth	Use casualty's real date of birth
Symptoms	chest pain 10/10 radiating to left arm, 8/10 right wrist pain
Allergies:	None

Meds: Ramipril 2.5mg daily (was taken this morning), nitroglycerin SL as needed

Past Med History: High blood pressure, angina

Last Meal: Pizza 1 hour ago

What happened: chest pain started suddenly and lost control of the car

## PROPS

- Environment
  - Parking lot
  - Utility pole or some other immovable structure that car has crashed into
  - First aid post
    - Room out of sight of parking lot
- Props
  - 4 door (minimum) vehicle
    - Turned off, but keys in ignition
  - Ventolin (albuterol) inhaler (trainer)
  - Pill bottle
  - Pill bottle label
    - Will be provided
    - Apply to pill bottle
  - 5 white Tic Tacs in pill bottle

# SIMULATOR BRIEFING NOTES

2013 Ontario Zone Competition - YSFA/ASFA Scenario 2

## SCENARIO SUMMARY

While providing first aid services at a concert at the local arena, a staff member reports to the first aid post and informs the competitors that somebody needs assistance in the parking lot. Upon assessment of the scene, the responders will determine that a single automobile has crashed into a utility pole in close proximity to the main entrance. Airbags did not deploy.

## INJURIES

### Casualty 1

- Right Rear Passenger
- Fracture left clavicle
  - Severe pain when palpated
  - Appears red, no deformity

### Casualty 2

- Left Rear Passenger
- 3cm x 3cm abrasion left forehead
- Headache (concussion)

### Casualty 3

- Front Right Passenger
- Startled, otherwise uninjured
- develops breathing difficulty (asthma) after 1st ambulance departs requires assistance to take ventolin

### Casualty 4

- Driver
- Face appears flushed
- Closed fracture right wrist
  - Area is red, no deformity
- chest pain 10/10
  - started a moments before the crash
- Requires assistance to take nitroglycerin tablets

## PROPS

- Environment

- Parking lot
  - Utility pole or some other immovable structure that car has crashed into
  - First aid post
    - Room out of sight of parking lot
- Props
  - 4 door (minimum) vehicle
    - Turned off, but keys in ignition
  - Ventolin (albuterol) inhaler (trainer)
  - Pill bottle
  - Pill bottle label
    - Will be provided
    - Apply to pill bottle
  - 5 white Tic Tacs in pill bottle
  - 1 ambulance
    - Use SJA vehicle

# YSFA/ASFA S2

# GENERAL

Scoring Note Scene survey and primary survey points may only be awarded within the first 3 minutes may no longer be awarded if the team has scored points in a subsequent section		A - Action S - Statement	Performed/ Stated	Not Performed/ Not Stated
Scene Survey	Assess hazards and remove keys from ignition	A/S	2	0
	Call 911	S	2	0
	Attempts to locate bystanders for assistance <small>Security guard and one other bystander</small>	A	2	0
	Identify to casualties as a first aid team and offer to help <small>Consent given</small>	A	2	0
	Determine the number of casualties <small>Four</small>	A/S	2	0
	Ensure that first aid post remained staffed it is clear that more help is needed at the scene	A	2	0
Other	Gloves are worn by all team members each time physical contact is made with the casualty	A	2	0
	Gloves changed before physical contact with different casualty	A	2	0
Handover to EMS	Identify as a first aid team to EMS upon arrival	A	2	0
	Report all four casualty chief complaints to EMS	A	2	0
	Report all medications taken by casualties at the scene <small>Likely nitroglycerin - if not given, do not award points</small>	A	2	0
	Identify the two highest priority casualties and send to hospital first <small>Casualty 4 and Casualty 2</small>	S	2	0
	Report Casualty 4 vital signs to paramedic	A	2	0
SUBTOTAL (26)				

# YSFA/ASFA S2

# CASUALTY 1

		A - Action S - Statement	Performed/ Stated	Not Performed/ Not Stated
Primary Survey	Assess responsiveness Alert	S	2	0
	Assess airway Clear, casualty is speaking	S	2	0
	Assess breathing Shallow and regular	S	2	0
	Assess skin condition Natural tone, warm, dry	S	2	0
	Determine mechanism of injury Struck door or front passenger seat during collision	S	2	0
	Perform rapid body survey No other injuries found	A	2	0
History	Ask casualty to describe how they are feeling Pain	S	2	0
	Ask casualty if they have any allergies Codeine	S	2	0
	Ask casualty if they take any medications Multivitamin daily	S	2	0
	Ask casualty about their past medical history Appendectomy 2011	S	2	0
	Ask casualty about the time of their last oral intake lunch - sandwich	S	2	0
	Ask casualty what happened Didn't see what happened	S	2	0
Vital Signs 1	Assess respirations 20 regular and shallow	A/S	2	0
	Assess pulse 98 strong and regular	A/S	2	0
	Assess circulation/skin condition Natural tone, warm, dry	A/S	2	0
Head-to-toe Assessment	Palpate and inspect head	A	1	0
	Inspect eyes Pupils equal and reactive	A	1	0
	Inspect nose	A	1	0
	Open and inspect mouth	A	1	0
	Palpate and inspect jaw	A	1	0
	Inspect ears	A	1	0
	Palpate and inspect neck	A	1	0
	Palpate and inspect collarbones Severe pain left side when palpated	A	1	0



# YSFA/ASFA S2

# CASUALTY 1

	Palpate and inspect shoulders	A	1	0
	Palpate and inspect left arm	A	1	0
	Palpate and inspect right arm	A	1	0
	Palpate and inspect left hand	A	1	0
	Palpate and inspect right hand	A	1	0
	Palpate chest and rib cage	A	1	0
	Palpate and inspect abdomen	A	1	0
	Palpate back	A	1	0
	Assess pelvic stability	A	1	0
	Palpate and inspect left leg	A	1	0
	Palpate and inspect right leg	A	1	0
	Palpate and inspect left foot	A	1	0
	Palpate and inspect right foot	A	1	0
Vital Signs 2	Assess respirations 18 shallow and regular	A/S	2	0
	Assess pulse 94 strong and regular	A/S	2	0
	Assess skin condition Pale, warm, sweaty	A/S	2	0
Vital Signs 3	Assess respirations 18 shallow and regular	A/S	2	0
	Assess pulse 94 strong and regular	A/S	2	0
	Assess skin condition Pale, warm, sweaty	A/S	2	0
Treatment	Check circulation below injury (hands/fingers) Adequate	A	2	0
	Apply St. John tubular sling to the left arm	A	2	0
	Sling supports the weight of the arm adequately	A	2	0
	Sling is tied on the right side of the neck	A	2	0
	Check circulation below injury (hands/fingers) after applying sling Adequate	A	2	0
SUBTOTAL (73)				

# YSFA/ASFA S2

# CASUALTY 2

		A - Action S - Statement	Performed/ Stated	Not Performed/ Not Stated
Primary Survey	Assess responsiveness Alert	S	2	0
	Assess airway Clear, casualty is speaking	S	2	0
	Assess breathing deep and regular	S	2	0
	Assess skin condition Natural tone, warm, dry	S	2	0
	Determine mechanism of injury struck head on driver's seat	S	2	0
	Perform rapid body survey	A	2	0
History	Ask casualty to describe how they are feeling headache and dizziness	S	2	0
	Ask casualty if they have any allergies none	S	2	0
	Ask casualty if they take any medications Effexor 150mg daily - taken today	S	2	0
	Ask casualty about their past medical history none	S	2	0
	Ask casualty about the time of their last oral intake pizza 1 hour ago	S	2	0
	Ask casualty what happened Didn't see what happened, struck head on back of driver's seat	S	2	0
Vital Signs 1	Assess respirations 16 deep and regular	A/S	2	0
	Assess pulse 74 strong and regular	A/S	2	0
	Assess circulation/skin condition Natural tone, warm, dry	A/S	2	0
Head-to-toe Assessment	Palpate and inspect head Abrasion on left forehead, minor bleeding	A	1	0
	Inspect eyes	A	1	0
	Inspect nose	A	1	0
	Open and inspect mouth	A	1	0
	Palpate and inspect jaw	A	1	0
	Inspect ears	A	1	0
	Palpate and inspect neck	A	1	0
	Palpate and inspect collarbones	A	1	0

# YSFA/ASFA S2

# CASUALTY 2

	Palpate and inspect shoulders	A	1	0
	Palpate and inspect left arm	A	1	0
	Palpate and inspect right arm	A	1	0
	Palpate and inspect left hand	A	1	0
	Palpate and inspect right hand	A	1	0
	Palpate chest and rib cage	A	1	0
	Palpate and inspect abdomen	A	1	0
	Palpate back	A	1	0
	Assess pelvic stability	A	1	0
	Palpate and inspect left leg	A	1	0
	Palpate and inspect right leg	A	1	0
	Palpate and inspect left foot	A	1	0
	Palpate and inspect right foot	A	1	0
Vital Signs 2	Assess respirations 16 deep and regular	A/S	2	0
	Assess pulse 78 strong and regular	A/S	2	0
	Assess circulation/skin condition Natural tone, warm, dry	A/S	2	0
Vital Signs 3	Assess respirations 16 deep and regular	A/S	2	0
	Assess pulse 78 strong and regular	A/S	2	0
	Assess circulation/skin condition Natural tone, warm, dry	A/S	2	0
Treatment	Tell the casualty not to move	A	2	0
	Maintain head and neck immobilization until paramedics assess casualty May use bystander	A	2	0
	Apply bandage to forehead abrasion	A	2	0
SUBTOTAL (69)				

# YSFA/ASFA S2

# CASUALTY 3

		A - Action S - Statement	Performed/ Stated	Not Performed/ Not Stated
Primary Survey	Assess responsiveness Alert	S	2	0
	Assess airway Clear, casualty is speaking	S	2	0
	Assess breathing regular and effective	S	2	0
	Assess skin condition Natural tone, warm, dry	S	2	0
	Determine mechanism of injury no apparent injury	S	2	0
	Perform rapid body survey No other injuries found	A	2	0
History	Ask casualty to describe how they are feeling Patient states he feels fine	S	2	0
	Ask casualty if they have any allergies none	S	2	0
	Ask casualty if they take any medications Ventolin as needed	S	2	0
	Ask casualty about their past medical history asthma	S	2	0
	Ask casualty about the time of their last oral intake lunch - sandwich	S	2	0
	Ask casualty what happened driver clutched chest and skidded into pole	S	2	0
Vital Signs 1 in first 18min	Assess respirations 18 deep and regular	A/S	2	0
	Assess pulse 88 strong and regular	A/S	2	0
	Assess circulation/skin condition Natural tone, warm, dry	A/S	2	0
Head-to-toe Assessment	Palpate and inspect head	A	1	0
	Inspect eyes Pupils equal and reactive	A	1	0
	Inspect nose	A	1	0
	Open and inspect mouth	A	1	0
	Palpate and inspect jaw	A	1	0
	Inspect ears	A	1	0
	Palpate and inspect neck	A	1	0
	Palpate and inspect collarbones	A	1	0

# YSFA/ASFA S2

# CASUALTY 3

	Palpate and inspect shoulders	A	1	0
	Palpate and inspect left arm	A	1	0
	Palpate and inspect right arm	A	1	0
	Palpate and inspect left hand	A	1	0
	Palpate and inspect right hand	A	1	0
	Palpate chest and rib cage	A	1	0
	Palpate and inspect abdomen	A	1	0
	Palpate back	A	1	0
	Assess pelvic stability	A	1	0
	Palpate and inspect left leg	A	1	0
	Palpate and inspect right leg	A	1	0
	Palpate and inspect left foot	A	1	0
	Palpate and inspect right foot	A	1	0
Vital Signs 2 (after 18min)	Assess respirations 28 shallow and gasping	A/S	2	0
	Assess pulse 98 strong and regular	A/S	2	0
	Assess skin condition Pale, warm, dry	A/S	2	0
Vital Signs 3	Assess respirations 28 shallow and gasping	A/S	2	0
	Assess pulse 98 strong and regular	A/S	2	0
	Assess skin condition Pale, warm, dry	A/S	2	0
Treatment	Assist to take ventolin	A	2	0
	Place casualty in semi-sitting position	A	2	0
	Call 911 and report change in casualty's condition	A	2	0
SUBTOTAL (69)				

# YSFA/ASFA S2

# CASUALTY 4

		A - Action S - Statement	Performed/ Stated	Not Performed/ Not Stated
Primary Survey	Assess responsiveness Alert	S	2	0
	Assess airway Clear, casualty is speaking	S	2	0
	Assess breathing shallow and regular	S	2	0
	Assess skin condition flushed, warm, dry	S	2	0
	Determine mechanism of injury wrist jammed on steering wheel on impact	S	2	0
	Perform rapid body survey	A	2	0
History	Ask casualty to describe how they are feeling crushing chest pain radiating to left arm	S	2	0
	Ask casualty if they have any allergies none	S	2	0
	Ask casualty if they take any medications ramipril 2.5mg daily (taken today) and nitroglycerin tablets as needed	S	2	0
	Ask casualty about their past medical history high blood pressure, angina	S	2	0
	Ask casualty about the time of their last oral intake pizza 1 hour ago	S	2	0
	Ask casualty what happened sudden onset chest pain caused driver to lose control of car	S	2	0
Vital Signs 1	Assess respirations 24 slow and shallow	A/S	2	0
	Assess pulse 126 strong and regular	A/S	2	0
	Assess skin condition flushed, warm, sweaty	A/S	2	0
Head-to-toe Assessment	Palpate and inspect head	A	1	0
	Inspect eyes Pupils equal and reactive	A	1	0
	Inspect nose	A	1	0
	Open and inspect mouth	A	1	0
	Palpate and inspect jaw	A	1	0
	Inspect ears	A	1	0
	Palpate and inspect neck	A	1	0
	Palpate and inspect collarbones	A	1	0

# YSFA/ASFA S2

# CASUALTY 4

	Palpate and inspect shoulders	A	1	0
	Palpate and inspect left arm	A	1	0
	Palpate and inspect right arm Wrist pain, redness, too painful to move	A	1	0
	Palpate and inspect left hand	A	1	0
	Palpate and inspect right hand Wrist pain, redness, too painful to move - circulation not impaired	A	1	0
	Palpate chest and rib cage	A	1	0
	Palpate and inspect abdomen	A	1	0
	Palpate back	A	1	0
	Assess pelvic stability	A	1	0
	Palpate and inspect left leg	A	1	0
	Palpate and inspect right leg	A	1	0
	Palpate and inspect left foot	A	1	0
	Palpate and inspect right foot	A	1	0
Vital Signs 2	Assess respirations 24 slow and shallow	A/S	2	0
	Assess pulse 126 strong and regular	A/S	2	0
	Assess skin condition flushed, warm, sweaty	A/S	2	0
Vital Signs 3	Assess respirations 24 slow and shallow	A/S	2	0
	Assess pulse 126 strong and regular	A/S	2	0
	Assess skin condition flushed, warm, sweaty	A/S	2	0
Treatment	Maintain semi-sitting position	A	2	0
	Assist to take nitroglycerin	A	2	0
	Casualty advised to place tablet under tongue, not chewed or swallowed	A	2	0
	Check circulation below injury (hands/fingers) before applying splint Adequate	A	2	0
	Right wrist splinted and bandaged adequately	A	2	0
	Check circulation below injury (hands/fingers) after applying splint Adequate	A	2	0
SUBTOTAL (75)				

# YSFA/ASFA S2

# DOCUMENTATION

Casualty 1	Date and time form is filled out	A	2	0
	Casualty's first and last name and date of birth <small>If unable to obtain or left blank then no points awarded</small>	A	2	0
	All 4 team members' names and signatures	A	2	0
	Initial Level of Consciousness	A	2	0
	Clavicle described including appearance	A	2	0
	Allergies <small>Codeine</small>	A	2	0
	Incident history described	A	2	0
	Treatment described	A	2	0
	1st vital signs <small>Time and Pulse and Respirations and Skin Condition</small>	A	2	0
	2nd vital signs <small>Time and Pulse and Respirations and Skin Condition</small>	A	2	0
Casualty 2	Date and time form is filled out	A	2	0
	Casualty's first and last name and date of birth <small>If unable to obtain or left blank then no points awarded</small>	A	2	0
	All 4 team members' names and signatures	A	2	0
	Initial Level of Consciousness	A	2	0
	Signs and symptoms described	A	2	0
	Medications <small>Effexor</small>	A	2	0
	Description of forehead abrasion with approximate measurements	A	2	0
	Treatment of forehead abrasion that matches treatment performed	A	2	0
	1st vital signs <small>Time and Pulse and Respirations and Skin Condition</small>	A	2	0
	2nd vital signs <small>Time and Pulse and Respirations and Skin Condition</small>	A	2	0
Casualty 3	Date and time form is filled out	A	2	0
	Casualty's first and last name and date of birth <small>If unable to obtain or left blank then no points awarded</small>	A	2	0
	All 4 team members' names and signatures	A	2	0
	Initial signs and symptoms	A	2	0
	Signs and symptoms after asthma symptoms began	A	2	0
	Allergies	A	2	0
	Time medication was taken and amount taken and name of medication	A	2	0



# YSFA/ASFA S2

# DOCUMENTATION

	Response to medication	A	2	0
	1st vital signs Time and Pulse and Respirations and Skin Condition	A	2	0
	2nd vital signs Time and Pulse and Respirations and Skin Condition	A	2	0
Casualty 4	Date and time form is filled out	A	2	0
	Casualty's first and last name and date of birth If unable to obtain or left blank then no points awarded	A	2	0
	All 4 team members' names and signatures	A	2	0
	Initial Level of Consciousness	A	2	0
	Signs and symptoms described	A	2	0
	Allergies	A	2	0
	Description of chest pain symptoms	A	2	0
	Time medication was taken and amount taken and name of medication	A	2	0
	Response to medication	A	2	0
	1st vital signs Time and Pulse and Respirations and Skin Condition	A	2	0
	2nd vital signs Time and Pulse and Respirations and Skin Condition	A	2	0
	SUBTOTAL (82)			